

Material Safety Data Sheet

Name of the Code No.	Product		nono Selective Supplement I 5 2212					
			2212					
Section 1	: Chemical Id							
	Code No.		2212					
	Name of the	Product : L.m	nono Selective Supplement I					
	Produced by	: Cer	ntral Drug House Pvt. Ltd.					
	Address		8 Vardaan House, Darya Ganj, New Delhi (INDIA)					
	Tel. No.		91 11 49404040					
Section 2	Hazards Ider	itification						
	2.1	Classification of the subs CLP Classification-Regula	tance or mixture tion (EC) No. 1272/2008[EU-GHS/CLP]					
		Acute toxicity, Oral, (Cat	tegory 4), H302					
	2.2	Label elements Labeling according to Reg	gulation (EC) No.1272/2008					
		Pictogram						
		Signal word Warning Hazard Statement(s)						
	H302 Harmful if swallowed							
		H302 Harm	ful if swallowed					
		Precautionary Statement	t (s)					
		Precautionary Statement		er handling.				
		Precautionary Statement P264 Wash h	t (s)	-				
	2.3	Precautionary Statement P264 Wash h	t (s) ands thoroughly after handling. Wash skin thouroughly afte	-				
Section 2		Precautionary Statement P264 Wash h P301 + P312 IF SWA Other Hazards None	t (s) ands thoroughly after handling. Wash skin thouroughly afte LLOWED: call a POISON CENTER or doctor/physician IF you	-				
Section 3	Composition	Precautionary Statement P264 Wash h P301 + P312 IF SWA Other Hazards None /Information On Ingredien	t (s) ands thoroughly after handling. Wash skin thouroughly afte LLOWED: call a POISON CENTER or doctor/physician IF you	-				
Section 3	Composition	Precautionary Statement P264 Wash h P301 + P312 IF SWA Other Hazards None	t (s) ands thoroughly after handling. Wash skin thouroughly afte LLOWED: call a POISON CENTER or doctor/physician IF you	feel unwell.				
Section 3	Composition	Precautionary Statement P264 Wash h P301 + P312 IF SWA Other Hazards None /Information On Ingredien	t (s) ands thoroughly after handling. Wash skin thouroughly afte LLOWED: call a POISON CENTER or doctor/physician IF you	-				
Section 3	Composition	Precautionary Statement P264 Wash h P301 + P312 IF SWA Other Hazards None /Information On Ingredien Mixture	t (s) ands thoroughly after handling. Wash skin thouroughly after LLOWED: call a POISON CENTER or doctor/physician IF you ts	feel unwell.				
Section 3	Composition	Precautionary Statement P264 Wash h P301 + P312 IF SWA Other Hazards None /Information On Ingredien Mixture Component Polymyxin B sulphate	t (s) ands thoroughly after handling. Wash skin thouroughly after LLOWED: call a POISON CENTER or doctor/physician IF you ts Classification	feel unwell. Concentration				
Section 3	Composition	Precautionary Statement P264 Wash h P301 + P312 IF SWAN Other Hazards None //information On Ingredien Mixture	t (s) ands thoroughly after handling. Wash skin thouroughly after LLOWED: call a POISON CENTER or doctor/physician IF you ts Classification 5-20-5 As Per EC Regulation 1272/2008	feel unwell.				
Section 3	Composition	Precautionary Statement P264 Wash h P301 + P312 IF SWAR Other Hazards None /Information On Ingredien Mixture Component Polymyxin B sulphate CAS No. : 1405 EC No. : 215-	t (s) ands thoroughly after handling. Wash skin thouroughly after LLOWED: call a POISON CENTER or doctor/physician IF you ts Classification	feel unwell. Concentration				
	Composition 3.1	Precautionary Statement P264 Wash h P301 + P312 IF SWAR Other Hazards None /Information On Ingredien Mixture Component Polymyxin B sulphate CAS No. : 1405 EC No. : 215- Refer Section 16 for c	t (s) ands thoroughly after handling. Wash skin thouroughly after LLOWED: call a POISON CENTER or doctor/physician IF you ts Classification 5-20-5 As Per EC Regulation 1272/2008 774-7 Acute Tox.oral 4 H302	feel unwell. Concentration				
Section 3 Section 4	Composition 3.1	Precautionary Statement P264 Wash h P301 + P312 IF SWAN Other Hazards None /Information On Ingredien Mixture Component Polymyxin B sulphate CAS No. : 1405 EC No. : 215- Refer Section 16 for c Measures	ts Classification Classification As Per EC Regulation 1272/2008 Acute Tox.oral 4 H302 omplete statement of H codes and its classification	feel unwell. Concentration				
	Composition 3.1	Precautionary Statement P264 Wash h P301 + P312 IF SWAR Other Hazards None /Information On Ingredien Mixture Component Polymyxin B sulphate CAS No. : 1405 EC No. : 215- Refer Section 16 for c	ts Classification Classification As Per EC Regulation 1272/2008 Acute Tox.oral 4 H302 omplete statement of H codes and its classification	feel unwell. Concentration				
	Composition 3.1	Precautionary Statement P264 Wash h P301 + P312 IF SWAR Other Hazards None /Information On Ingredien Mixture Component Polymyxin B sulphate CAS No. : 1405 EC No. : 215- Refer Section 16 for c Masures Description of first aid m General advice Consult a physician. Show If inhaled	ts Classification G-20-5 As Per EC Regulation 1272/2008 Acute Tox.oral 4 H302 omplete statement of H codes and its classification easures this safety data sheet to the doctor in attendance.	feel unwell. Concentration >= -				
	Composition 3.1	Precautionary Statement P264 Wash h P301 + P312 IF SWA Other Hazards None //information On Ingredien /Information On Ingredien Mixture //information On Ingredien Component //information Polymyxin B sulphate /information CAS No. : 1405 EC No. : 215- Refer Section 16 for c //information Measures //information of first aid m General advice //information Consult a physician. Show //information If breathed in, move person //information Consult a physician. //information	ts Classification G-20-5 As Per EC Regulation 1272/2008 Acute Tox.oral 4 H302 omplete statement of H codes and its classification easures	feel unwell. Concentration >= -				
	Composition 3.1	Precautionary Statement P264 Wash h P301 + P312 IF SWAR Other Hazards None /Information On Ingredien Mixture Component Polymyxin B sulphate CAS No. : 1405 EC No. : 215- Refer Section 16 for c Measures Description of first aid m General advice Consult a physician. Show If breathed in, move personal consult a physician. In case of skin contact In case of skin contact	ts Classification G-20-5 As Per EC Regulation 1272/2008 Acute Tox.oral 4 H302 omplete statement of H codes and its classification easures this safety data sheet to the doctor in attendance.	feel unwell. Concentration >= -				





		<i>If swallowed</i> Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
	4.2	Most important symptoms and effects, both acute and delayed No data available.
	4.3	Indication of immediate medical attention and special treatment needed No data available
Section 5	Fire Fight	ting Measures
	5.1	Extinguishing media
		Suitable extinguishing media
		Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
		Unsuitable extinguishing media
		No data available.
	5.2	Special hazards arising from the substance or mixture
		Nature of decomposition products unknown
	5.3	Precautions for fire-fighters
		Wear self contained breathing apparatus for fire fighting if necessary
	5.4	Further information
		No data available
Section 6	Accidenta	al Release Measures
	6.1	Personal precautions, protective equipment and emergency procedures
		Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
	6.2	Environmental precautions
	0.2	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
	6.3	Methods and materials for containment and cleaning up
	0.5	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.
	6.4	Reference to other sections
	0.4	For disposal see Section 13.
Section 7		
Section 7		and Storage
	7.1	Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal
		measures for preventive fire protection.
	7.2	Conditions for safe storage, including any incompatibilities
		Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which
		are opened must be carefully resealed and kept upright to prevent leakage.
		Recommended Storage Temperature : On receipt store between 2-8°C
	7.3	Specific end uses
		Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.
1		





Section 8	Exposure	Controls / Personal Protection				
	8.1	Control parameters				
		Components with workplace control pa	rameters			
	8.2	Exposure controls				
	Appropriate engineering controls					
		Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after				
		handling the products.				
		Personal protective equipment				
		Hygiene measure				
			ning. Apply preventive skin protection. Wash hands and face after			
		working with the product.				
		Eye/face protection	(0 in the restriction was been as the supervision to start and			
			(8-inch minimum). Use equipment for eye protection tested and nt standards such as NIOSH (US) or EN 166 (EU).			
		Skin protection	it standards such as NIOSH (OS) of EN 100 (EO).			
			ected prior to use. Use proper glove removal technique (without			
			skin contact with this product. Dispose contaminated gloves after			
			and good laboratory practices. Wash and dry hands. The selected			
		protective gloves have to satisfy the spe				
		89/686/EEC and the standard EN 374 de				
		Body protection				
			cals. The type of protective equipment must be selected according			
			dangerous substance at the specific workplace.			
		Respiratory protection				
	Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-					
			ing respirators are appropriate use a full-face respirator with multi-			
		Where risk assessment shows air-purify				
		Where risk assessment shows air-purify purpose combination (US) or type ABEK	(EN 14387) respirator cartridges as a backup to engineering controls.			
		Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and			
		Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro	(EN 14387) respirator cartridges as a backup to engineering controls.			
		Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and			
		Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under <i>Environment exposure controls</i>	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and			
		Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under <i>Environment exposure controls</i>	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and			
Section 9	Physical	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under <i>Environment exposure controls</i>	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and			
Section 9	Physical 9.1	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under <i>Environment exposure controls</i> Do not empty into drains.	(EN 14387) respirator cartridges as a backup to engineering controls. Itection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU).			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under <i>Environment exposure controls</i> Do not empty into drains.	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU).			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU).			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available No data available No data available No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range	(EN 14387) respirator cartridges as a backup to engineering controls. Itection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point	(EN 14387) respirator cartridges as a backup to engineering controls. Itection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas)	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. Do not empty into drains. And Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Partition coefficient: n-octanol/water	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Partition coefficient: n-octanol/water Autoignition Temperature	(EN 14387) respirator cartridges as a backup to engineering controls. Itection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Partition coefficient: n-octanol/water Autoignition Temperature Viscosity	(EN 14387) respirator cartridges as a backup to engineering controls. Itection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under Environment exposure controls Do not empty into drains. Do not empty into drains. And Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Partition coefficient: n-octanol/water Autoignition Temperature Viscosity Explosive properties	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under <i>Environment exposure controls</i> Do not empty into drains. Do not empty into drains. and Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Partition coefficient: n-octanol/water Autoignition Temperature Viscosity Explosive properties Oxidizing properties	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			
Section 9	-	Where risk assessment shows air-purify purpose combination (US) or type ABEK If the respirator is the sole means of pro- components tested and approved under Environment exposure controls Do not empty into drains. Do not empty into drains. And Chemical Properties Information on basic physical and chemi Appearance Odour Odour Threshold pH Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Partition coefficient: n-octanol/water Autoignition Temperature Viscosity Explosive properties	(EN 14387) respirator cartridges as a backup to engineering controls. tection, use a full-face supplied air respirator. Use respirators and r appropriate government standards such as NIOSH (US) or CEN (EU). cal properties White homogeneous powder No data available No data available			





	9.2 Other safety information
	No data available
Section 10	Stability and Reactivity
	10.1 Reactivity
	No data available 10.2 Chemical stability
	No data available
	10.3 Possibility of hazardous reactions
	No data available
	10.4 Conditions to avoid
	No data available
	10.5 Incompatible materials
	No data available
	10.6 Hazardous decomposition products
	Other Decomposition products. No data Available
Section 11	Toxicological Information
	11.1 Information on toxicological effects
	Acute toxicity
	No data available
	Skin corrosion/irritation
	No data available
	Serious eye damage/eye irritation
	No data available
	Respiratory or skin sensitisation
	No data available
	<i>Germ cell mutagenicity</i> No data available
	Carcinogenicity
	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as
	probable, possible or confirmed human carcinogen by IARC.
	Specific target organ toxicity- single exposure
	No data available
	Specific target organ toxicity - repeated exposure
	No data available
	Aspiration hazard
	No data available
	Additional Information
	RTECS : YW4380000
	11.2 Components
	Polymyxin B Sulfate
	Acute Oral Toxicity
	Mouse LD50: 790 mg/kg
	Acute Intraperitoneal Toxicity
	Mouse LD50: 20.5 mg/kg Acute
	Subcutaneous Toxicity
	Mouse LD50: 59.5 mg/kg
	Acute Intravenous Toxicity
	Mouse LD50: 5.4 mg/kg Additional Information
	Additional Information RTECS: TR1150000
	1





Section 12	Ecological Information
	12.1 Toxicity
	No data available
	12.2 Persistence and degradability
	No data available
	12.3 Bioaccumulative potential
	No data available
	12.4 Mobility in soil
	No data available
	12.5 PBT and vPvB assessment
	PBT/vPvB assessment was not conducted No data available
	12.6 Other adverse effects No data available
Section 13	Disposal Considerations
	13.1 Waste treatments methods
	Product
	Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a
	licenced professional waste disposal service to dispose off this material.
	13.2 Contaminated packaging
	Dispose of as unused product.
Section 14	Transport Information
	14.1 UN-No
	ADNR: ADR: IATA_C: IATA_P: IMDG: RID:
	14.2 UN proper shipping name
	ADNR : Not dangerous good
	ADR : Not dangerous good
	IATA_C : Not dangerous good IATA_P : Not dangerous good
	IATA_P : Not dangerous good IMDG : Not dangerous good
	RID : Not dangerous good
	14.3 Transport hazard class (es)
	ADNR: ADR: IATA_C: IATA_P: IMDG: RID:
	s14.4 Packaging group
	ADNR: ADR: IATA_C: IATA_P: IMDG: RID:
	14.5 Environmental hazards ADNR : No ADR : No IMDG : Marine pollutant No IATA_C : No IATA_P : No RID : No
	14.6 Special precautions for use
	No data available
Section 15	Regulatory Information
	This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
	15.1 Safety health and environment regulations/legislation specific for the substance or mixture
	No data available
	15.2 Chemical Safety Assessment
	No data available



Material Safety Data Sheet

Section 16	Other Information		
	Text of H codes and classification mentioned in section 3H302Harmful if swallowed		
	Acute Tox.oral 4 Acute toxicity, oral, Category 4		
	Further Information The information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. The information is offered solely for user's obligation to investigate and determine the suitability of the information for their particular purpose.		