



## HYDROCHLORIC ACID 5M (5N) STANDARDIZED SOLUTION IN ACCORDANCE WITH NIST

# MATERIAL SAFETY DATA SHEET SDS/MSDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Hydrochloric Acid 5M (5N) Standardized Solution In Accordance With NIST

Product Code : 844995

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd

7/28 Vardaan House New Delhi -110002

INDIA

Telephone : +91 11 49404040

Email : care@cdhfinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Corrosive to metals (Category 1), H290 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319

Specific target organ toxicity-single exposure (Category 3), H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Warning

Hazard statement(s)

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eve irritation

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statement(s)

P302 + P352 IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Mixtures

## Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Hydrochloric acid

CAS-No. 7647-01-0 Met. Corr. 1; Skin Corr. 1B; >= 10 - < 20 %

EC-No. 231-595-7 STOT SE 3; H290, H314,

Index-No. 017-002-01-X H335

Registration number 01-2119484862-27-XXXX Concentration limits:

>= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit.2, H315; 10 - < 25 %: Eye Irrit.2, H319; >= 10 %: STOT SE3, H335; >= 0.1 %: Met. Corr.1, H290;

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

Rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

## If swallowed

Immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Cough, Shortness of breath

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapours.

Fire may cause evolution of: Hydrogen chloride gas

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

**Advice for non-emergency personnel:** Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material. Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling: Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. No metal containers.

Recommended storage temperature see product label.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form: liquid **Appearance** 

Colour: Colourless

Odour No data available b)

Odour Threshold No data available c)

d) рН acidic

Melting point/freezing

point

No data available

Initial boiling point and f)

boiling range

No data available

Flash point No data available g)

h) Evaporation rate No data available

Flammability (solid, gas) No data available i)

Upper/lower flammability or explosive limits No data available

Vapour pressure No data available k) I) Vapour density No data available

m) Relative density 1.082 g/ml at 20°C

Water solubility Solube at 20°C

Partition coefficient: n-

octanol/water

No data available

**Auto-ignition** No data available temperature

Decomposition

No data available

temperature Viscosity

No data available

r) **Explosive properties** No data available Oxidizing properties No data available

## 9.2 Other safety information

No data available

#### **SECTION 10: Stability and reactivity**

#### Reactivity 10.1

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

Risk of explosion with: Alkali metals, conc. sulfuric acid

Risk of ignition or formation of inflammable gases or vapours with: carbides, lithium silicide, Fluorine Generates dangerous gases or fumes in contact with: Aluminium, hydrides, formaldehyde, Metals, strong alkalis, Sulphides

Exothermic reaction with: Amines, potassium permanganate, salts of oxyhalogenic acids, semimetallic oxides, semimetallic hydrogen compounds, Aldehydes, vinylmethyl ether

## 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Metals, metal alloys. Gives off hydrogen by reaction with metals.

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

Inhalation: Material may be irritating to mucous membranes and upper respiratory tract.

## Skin corrosion/irritation

Irritating to skin and mucous membranes

## Serious eye damage/eye irritation

Irritating to eyes. May cause irreversible eye damage.

## Respiratory or skin sensitisation

Did not cause sensitisation on laboratory animals.

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrochloric acid)

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

No aspiration toxicity classification

#### **Additional Information**

RTECS: Not available

irritant effects, Effects due to ingestion may include:, Severe irritation, Burning pain in mouth, throat and stomach.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 24.6 mg/l - 96 h(Hydrochloric acid)

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 4.91 mg/l - 48 h(Hydrochloric acid)

other aquatic invertebrates

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available(Hydrochloric acid)

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

May be harmful to aquatic organisms due to the shift of the pH. Do not empty into drains.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1789 IMDG: 1789 IATA: 1789

## 14.2 UN proper shipping name

ADR/RID: HYDROCHLORIC ACID IMDG: HYDROCHLORIC ACID Hydrochloric acid

## 14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

## 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

#### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

## 14.6 Special precautions for user

No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.