

# Perchloric Acid 60% CAS No 7601-90-3

# MATERIAL SAFETY DATA SHEET SDS/MSDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : **Perchloric Acid** 60%

CAS-No. : 7601-90-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd

7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002

**INDIA** 

Telephone : +91 11 49404040

Email : <a href="mailto:care@cdhfinechemical.com">care@cdhfinechemical.com</a>

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Oxidizing liquids (Category 1), H271 Corrosive to metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1A), H314

Specific target organ toxicity - repeated exposure (Category 2), Thyroid, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

O Oxidising R 8
C Corrosive R35
Xn Harmful R22
R 5

For the full text of the R-phrases mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

#### Pictogram







Signal word Danger

Hazard statement(s)

H271 May cause fire or explosion; strong oxidiser.

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs (Thyroid) through prolonged or repeated

exposure.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

Supplemental Hazard

Statements

none

## According to European Directive 67/548/EEC as amended.

Hazard symbol(s) O Oxidising

C Corrosive





R-phrase(s)

R 5 Heating may cause an explosion.

R 8 Contact with combustible material may cause fire.

R22 Harmful if swallowed. R35 Causes severe burns.

S-phrase(s)

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Formula : HClO4
Molecular weight : 100,46 g/mol

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Perchloric acid

CAS-No. 7601-90-3 Ox. Liq. 1; Met. Corr. 1; Acute >= 50 - < 70 %

EC-No. 231-512-4 Tox. 4; Skin Corr. 1A; STOT Index-No. 017-006-00-4 RE 2; H271, H290, H302,

H314, H373

Hazardous ingredients according to Directive 1999/45/EC

Component Classification Concentration

Perchloric acid

CAS-No. 7601-90-3 O, C, R 5 - R 8 - R22 - R35 - >= 50 - <= 100

EC-No. 231-512-4 R48 %

Index-No. 017-006-00-4

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## Unsuitable extinguishing media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas

Container explosion may occur under fire conditions.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Strongly oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance Form: liquid, clear

Colour: colourless

-18 °C

Odour No data available b) Odour Threshold No data available c) рΗ No data available d)

Melting point/freezing

point

Initial boiling point and boiling range

ca.203 °C at 1.013 hPa

Flash point 113 °C - closed cup h) Evaporation rate No data available i) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

Vapour pressure 9,1 hPa at 25 °C Vapour density No data available I) m) Relative density 1,670 g/cm3

Water solubility completely miscible Partition coefficient: n-No data available

octanol/water

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

Viscosity No data available r) **Explosive properties** Not explosive s)

t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 1.

#### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Amines and alcohols cause exothermic reactions.

#### 10.4 Conditions to avoid

Heat

## 10.5 Incompatible materials

Strong bases, Strong acids, Amines, Phosphorus halides, Alcohols, Organic materials, Powdered metals, Strong reducing agents

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - < 2.000 mg/kg (OECD Test Guideline 423)

#### Skin corrosion/irritation

Extremely corrosive and destructive to tissue.

#### Serious eye damage/eye irritation

Corrosive

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Thyroid

## **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to daphnia and

Immobilization EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

other aquatic (OECD Test Guideline 202)

invertebrates

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Do not empty into drains. Neutralisation will not reduce ecotoxic effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1873 IMDG: 1873 IATA: 1873

## 14.2 UN proper shipping name

ADR/RID: PERCHLORIC ACID IMDG: PERCHLORIC ACID IATA: Perchloric acid

Passenger Aircraft: Not permitted for transport

## 14.3 Transport hazard class(es)

ADR/RID: 5.1 (8) IMDG: 5.1 (8) IATA: 5.1 (8)

## 14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

## 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

## 14.6 Special precautions for user

No data available

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

H271 May cause fire or explosion; strong oxidiser.

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

Met. Corr. Corrosive to metals Ox. Liq. Oxidizing liquids Skin Corr. Skin corrosion

STOT RE Specific target organ toxicity - repeated exposure

## Full text of R-phrases referred to under sections 2 and 3

C Corrosive O Oxidising

R 5 Heating may cause an explosion.

R 8 Contact with combustible material may cause fire.

R22 Harmful if swallowed. R35 Causes severe burns.

R48 Danger of serious damage to health by prolonged exposure.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.