



Product Specification

cdhfinechemical.com

Li, NO.		TURPENTINE OIL PURE		
NNONYMS Pine oil, Fir oil. L1 NO. SAR NO. (B006-64-2) VOMIC OR MOLECULAR FORMULA CwHs DESCRIPTION CuHs NOPERTIE PARAMETER LINIT Description Clear colourless to pale yellow bright liquid. Juliphical Rotation (a) 153-179°C V1. per nil (at 20°C) Abt.0860 g Julical Rotation (a) VARAMETER 1.467-1.478 VARXINUM LIMIT OF IMPURITIES VARXINUM LIMIT OF IMPURITIES VARAMETY 1.030 MARKER VARXINUM LIMIT OF IMPURITIES VARXINUM LIMIT OF IMPURITIES VARXER VARXER STATEMENTS: Flammable liquid and vapour. May intensity fire.oxidiser. May be harnful if swallowed. May be feall wallowed and entersainways. Harnful in contact with skin. Infraed. May could sale allergor ashire of the thing difficulties of thing difficulties of thing difficulties of thing		356465		
As No. (BOOS-64-2) KDM COR MOLECULAR VERIGHT. AS AS KDM COR MOLECULAR WEIGHT. BAS	SYNONYMS	Pine oil,Fir oil.		
NUMMIC QUINCIPULATE YORMULA YORMUTES Égiftà 33.3 CLOBUT YADAMETE LINT YADAMETE LINT Description Clar colourless to pale yellow bright liquid. Immiccibe with water. Soluble in ethanol. Dialipi ofini 33.175°C YADAMETE LINT Description Clar colourless to pale yellow bright liquid. Immiccibe with water. Soluble in ethanol. Joing Point J3.175°C Description Liguid. YADAMETEM DO0274 Description Description Leart to end (n ³⁰) J40°C 14.87 Description Description Key metal (Ph) D00274 Description Description Description Key metal (Ph) D00274 Description Description <td< td=""><td>C.I. NO.</td><td>-</td><td></td></td<>	C.I. NO.	-		
TOMIC OR MOLECULAR WEIGHT 186.23 CLORED NOPERTIES - ARAMETER LIMI bescription Clear colourless to pale yellow bright liquid. clobility Immiscible with water. Soluble in ethanol clobility 153-175°C verter (al 20°C) Abt. 38.08 g clobility 1467-1478 MARAMETER Weight (Pb) No022% MARAMETER Weight (Pb) No022% MARAMETER Weight (Pb) No022% MARAMETER MARAMETER No022% Non22% Maramateling dud and vapour. May intensify fire,oxidiser. May be harmful if swallowed. May be field if, who colause drawniness or dizzness. Toxic to aquate life with long lasting difficult is if in a mark and the organ procession to near direct is in a mark and the organ procession to near direct is in a mark and the organ procession to near direct is in a mark and the organ procession to near direct is in a mark and the organ procession to near direct is in a mark and the organ procession to near direct is in a mark and the organ procession to near direct is in a mark and the organ procession to near dis in a mark and the	CASR NO.	(8006-64-2)		
PROPERTIES	ATOMIC OR MOLECULAR FORMULA	C ₁₀ H ₁₆		
Aradameter LIMIT Description Clear colourless to pale yellow bright liquid. olubility Immiscible with water. Soluble in ethanol olubility Immiscible with water. Soluble in ethanol olubility Immiscible with water. Soluble in ethanol physical Rotation (a) ²⁰ , 40 ² 10 448 ⁹ 40 ² 10 448 ⁹ terractive Index (n) ²⁰ , 1.467-1.478 40 ² 10 448 ⁹ WAXIMUM LIMIT OF IMPURITES 1.0% teavy metal (Pb) 0.0002% torvolatile matter 1.0% VARAMETS : Flammable liquid and vapour. May intensity fire oxidiser. May be harmful if swallowed. May be feal iff WAXIND UNITY SATEMENTS : Flammable liquid and vapour. May intensity fire oxidiser. May be harmful if swallowed. May be feal iff Water reaction. Casses serious age intration. Harmful if inhaled. May cause altergic Walk reaction. Casses serious age intration. Harmful if inhaled. May cause altergic Prevention : Keep agang from halispark/open Harmful & feal/Store away from coloning/Combustible reaving equipment. Use any hono-prodelectricave serious agang test discharge. Avoid breathing dist/tune/agas/mixty Reaving equipment. Use seryhone prodelectrical indexcatere with with port of acase and region. Water reaction. Casse and the partype reaving equipment. The position or rank open and water. Fon SiXiN (orbin): reaving equipment. Reaving eq	ATOMIC OR MOLECULAR WEIGHT	136.23 L 10	n 16	
bescription Clear colourless to pale yellow bright liquid. olubility Immiscible with water. Soluble in ethanol bioling Point 153-175°C VV, per ml (at 20°C) Abt.0.860 g optical Rotation (a) ²⁰ _D -40° to +48° tefractive Index (n) ³⁰ _D 1.467-1.478 WAXIMUUN LIMIT OF IMPURITIES Easy (ff applicable) method mentioned. Vice(a) ratio (a) ratio	PROPERTIES			
olubility Immiscible with water. Soluble in ethanol ioling Point 153-175°C Vt. per ml (at 20°C) Abt.0.860 optical Rotation (a) ²⁰ , -40°to 489° ietractive Index (n) ³⁰ , -1467-1478 MXINUMIT OF IMPURITIES tetractive Index (n) ³⁰ , -1467-1478 MXINUMIT OF IMPURITIES tetractive Index (n) ³⁰ , -100°C José totolsile matter 1.0% MARCE MARCE MARCE MARCE	PARAMETER	LIMIT		
biling Point 153-175 °C Abt.0.860 g Abt.0.860 g Abt.0.860 g Adv?to 448° tetractive Index (n) ²⁶ ,	Description			
Wr. er ml (at 20°C) Abt.0.860 g Optical Rotation (a) ²ⁿ b -40° to +48° tefractive index (n) ²ⁿ b 1.467-1.478 MAXIMUM LIMIT OF IMPURITIES teavy metal (Pb) 0.0002% ion volatile matter 1.0% MAXIMUM LIMIT OF IMPURITIES Maximum Limit of implicable) method mentioned. Noncer Maximum Limit on clause star in intration. May cause an allergic Minon clause star intration. May cause an allergic Mode there an ways. Harmful in contact with skin. Causes skin intration. May cause an allergic Maximum Limit on clause with with a haled. May cause allergior asthama symptoms or breathing distributies. Maximum Limit on transmut with combustibles. Keep container tightly closed. Ground/bond container and see respiratory intration. May cause and allergic with a containnated or colspan="2">Mode Colspan="2" Maximum Limit on transdu mixing with combustibles. Keep container tightly closed. Ground/bond containinated or colspan="2">Adv or transduct with a colspan="2" <t< td=""><td></td><td></td><td></td></t<>				
puptical Rotation (à) ²⁰ ₀ -40° to 48° terractive Index (n) ²⁰ ₀ 1.4571.478 VAXIMUM LIMIT OF IMPURITIES teavy metal (Pb) 0.0002% toon volatile matter 1.0% VAXIMUM State Sta	Boiling Point			
tefractive Index (n) ³⁰ , 1467-1478 MAXIMUM LIMIT OF IMPURITIES teavy metal (Pb) 0.0002% Ion volatile matter 1.0% Totacless and the service of the service		.		
WAXIMUM LINUT OF IMPURITIES leavy metal (Pb) 0.0002% lon volatile matter 1.0% Vote(s): Assay (if applicable) method mentioned. Intervention (Intervention) VAXIMUM LINUT Construction (Intervention) Intervention) VacARD STATEMENTS: Flammable liquid and vapour. May intensify fire,oxidiser. May be harmful if swallowed. May be feal if wallowed and entersainways. Harmful in contact with skin. Causes skin irritation. May cause an allergic MDG Code: VacARD STATEMENTS: Flammable liquid and vapour. May intensify fire,oxidiser. May be harmful if swallowed. May be feal if wallowed and entersainways. Harmful in contact with skin. Causes skin irritation. May cause an aurice structure and user respiratory irritation. May cause drawziness. Toxic to aquatic life with long lastingeffects. INDG Code: VacARD STATEMENTS: Frammable liquid and vapour. May intensify fire,oxidiser. May be only non-sparkit gotol. Aix - : - Verevention:: Keep away from heat/sparks/open flames/hot surfaces - No smoking. Keet/Store away from clothing//Combustible naterials. Take any precaution bave/out of the workplace. Avoid release individuation uses and user/implication. INDE Code: Vack Colving Structure and advise/attention. Increase of inadequateventilation wear respiratory protection. Intervention: Vast Colving Structure and advice/attention. Increase of inadequateventilation wear respiratory protection. Intervention: If SWALLOWED: Call a POISON Struceandevention. If sywalLOWED: Call a POISON Cen	Optical Rotation (à) ²⁰ D	-40° to +48°		
teavy metal (Pb) 0.002% ton volatile matter 1.0% tote(s): Assay (if applicable) method mentioned. AAZARD STATEMENTS : Flammable liquid and vapour. May intensify fire,oxidiser. May be harmful if swallowed. May be fetal if wallowed and entersainways. Harmful in contact with skin. Causes skin irritation. May cause an allergic kin reaction. Causes respiratory irritation. May cause dargeness serious eye irritation and cause espirates. Toxic to aquatic life with long lastingeffects. RECAUTIONARY STATEMENTS : RECAUTIONARY STATEMENTS : Recound by the comparison of the workplace. Avoid breathing dust/fume/gas/mist/ ust/tume/gas/mist/apours/spray. Washthoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Contaminated ork clothing should not beallowed out of the workplace. Avoid breats to the environment. Use approach to fresh air and eep at rest in a positioncomfortable for breathing. IF IN EYES: Rines cautiously with water for several ininutes. Remove contact lenses, if present and easy to do. Continue rinsing. Calla POISON CENTER or doctor/Physician if you eeu uwell. Rines mouth. Do NoThnduce vorining. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated dothing before euuse. Collect spillage. If experiencing respiratory smptoms: Call a POISON CENTER or doctor/Physician. If systiat. Disposal : Allow to evaporate in safe open area (applicable for small quantities). The chemical should be burnt in a chemical is of available then transfer the waste chemical to waste solvent drum for collection by specialist disposal company. Lagence and the set open area (applicable for small quantities). The chemical should be burnt in a chemical is of available then transfer the waste chemical to waste solvent drum for collection by specialist disposal company. Lagence and the set open area (applicable for small quantities). Lagence and the overagence in safe open area (applicable for small quantities). Lagence and the overagence in safe open area (applicable for small quantities). La	Refractive Index (n) ²⁰ D	1.467-1.478		
In volatile matter 1.0% Interval Interval Interval Interval <td< td=""><td>MAXIMUM LIMIT OF IMPURITIES</td><td></td><td></td></td<>	MAXIMUM LIMIT OF IMPURITIES			
Jote(s): Assay (if applicable) method mentioned. DANGER HAZARD STATEMENTS : Flammable liquid and vapour. May intensify fire, oxidiser. May be harmful if swallowed. May be fetal if wallowed and entersairways. Harmful in contact with skin. Causes skin irritation. May cause an allergic MDG Code : UN No. : UN No. : Wallowed and entersairways. Harmful if inhaled. May cause allergyor asthmae symptoms or breathing difficulties if shaled. May cause respiratory irritation. Mary cause drawziness or dizziness. Toxic to aquatic life with long lastingeffects Prevention : Keep away from heat/sparts/open flames/hot surfaces - No smoking.Keet/Store away from clothing//Combustible. Area any precaution toavoid mixing with combustibles. Keep container tightly closed. Ground/bondcontainer and eceiving equipment. Use explosion-proofelectrical/ventilating/lighting//equipment. Use only non-sparkig tools. Takeprecautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/ ust/fume/gas/mist/vapours/spray. Washthoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Contaminated over k clothing should not beallowed out of the workplace. Avoid breathing dust/fume/gas/mist/ ust/fume/gas/mist/vapours/spray. Washthoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Contaminated over k clothing should not beallowed out of the workplace. Avoid breathing dust/fume/gas/mist/ ust/fume/gas/mist/vapours/spray. Washthoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Contaminated over k clothing should not beallowed out of the workplace. Avoid prelase to the environment. Wear protection/face area response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you eel unwell. Rinse mouth. Do NO Tinduce vomting. If skin irritation or rash ooccurs: Get medical advice/attention. Wash contam	Heavy metal (Pb)	0.0002%		
MAGER MAZARD STATEMENTS : Flammable liquid and vapour. May intensify fire,oxidiser. May be harmful if swallowed. May be fetal if wallowed and entersairways. Harmful in contact with skin. Causes skin irritation. May cause an allergic kin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if haled. May cause respiratoryirritation. May cause drawziness or dizziness. Toxic to aquatic life with long lastingeffects PRECAUTIONARY STATEMENTS : Prevention : Keep away from heat/sparks/open flames/hot surfaces - No smoking.Keet/Store away from clothing//(Combustible haterials. Take any precaution toavid mixing with combustibles. Keep container tightly closed. Ground/bondcontainer and eceiving equipment. Use explosion-profelectrical/ventiltating/lifung//equipment. Use only non-sparkig tools. "akeprecautionary measures against static discharge. Avoid breathing dust/tume/gas/mist/ lust/fume/gas/mist/vapours/spray. Washthoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Contaminated tork clothing should not beallowed out of the workplace. Avoid release to the environment. Wear protectivegloves/protective lothing/eye protection/face protection. Incase of inadequateventilation wear respiratory protection. tesponse IF SWALLOWED: Immediately call a COISON CENTER or doctor/physician if you eep at rest in a positioncomfortable for breathing. IF IN EYES: Rise cautiously with water for several ninutes. Remove contact lenses, if present and easy to do. Continue rinsing. Calla POISON CENTER or doctor/physician. If eye euse. Collect spillage. If experiencing respiratory symptoms: Call a POISONCENTER or Doctor/Physician. Collect spillage. Disposal : Allow to evaporate in safe open area (applicable for small quantities). The chemical should be burnt in a chemical cinerator equipped with burner andscrubber. If the volumes are larger than 500ml and no incinerator and site ofevaporation is tot available then transfer th	Non volatile matter			
IAZARD STATEMENTS : Flammable liquid and vapour. May intensify fire,oxidiser. May be harmful if swallowed. May be fetal if wallowed and entersainways. Harmful in contact with skin. Causes skin irritation. May cause an allergic IVN No. : ikin reaction. Causes servinitation. Harmful if inhaled. May cause allergy or asthama symptoms or breathing difficulties if thaled. May cause allergy or asthama symptoms or breathing difficulties if thaled. May cause any from heat/sparks/open flames/hot surfaces - No smoking.Keet/Store away from clothing//Combustible naterials. Take any precaution toavoid mixing with combustibles. Keep container tightly closed. Ground/bondcontainer and eceiving equipment. Use explosion-protelectrical/ventilating/fighting//qeuipment. Use only non-sparkig tools. "akeprecautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/ Use only on-sparkig tools. "akeprecautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/ Use onlyoutdoors or in avell-ventilated area. Contaminated otor for bytoplace. Avoid release to the environment. Wear protective/gloves/protective lothing/sep rotection/face protection. Incase of inadequateventilation wear respiratory protection. Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If SWILLOWED: Call a POISON 2ENTER or doctor/physician if you feel unwell. IF IN SYES: Rines cautiously with water for several ninutes. Remove contact lenses, if present and easy to do. Continue rinsing. Calla POISON CENTER or doctor/physician if you eel unwell. IF IN EYES: Rines cautiously with water for several ninutes. Remove contact lenses, if present and easy to do. Continue rinsing. Calla POISON CENTER or doctor/physician. If everifiation erash occurs: Get medical advice/attention. If everification		ned.		
(*)	HAZARD STATEMENTS : Flammable liquid and vapour. May intensify fire, voidiser. May be harmful if swallowed. May be fetal if swallowed and entersairways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful if inhaled. May cause allergyor asthama symptoms or breathing difficulties if inhaled. May cause and prove and the symptoms or breathing difficulties if inhaled. May cause and prove and prove head/sparks/open flames/hot surfaces - No smoking.Keet/Store away from hothing//Combustible materials. Take any precaution toavoid mixing with combustibles. Keep container tightly closed. Ground/bondcontainer and receiving equipment. Use explosion-proofelectrical/ventilating/Iighting//(equipment. Use only non-sparkig tools. Takeprecautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/ dust/fume/gas/mist/ dust/fume/gas/mist/ dust/fume/gas/mist/ dust/fume/gas/mist/ dust/fume/gas/mist/ dust/fume/gas/mist/ and the work clothing beal weat in a position contrate protection. Incase of inadequateventilation wear respiratory protection. Response IF SWALLOWED: Call a POISON CENTER or doctor/physician ifyou feel unwell. IF ON SKIN: Wash with plenty of soap and water			

Replace date 10-June-2024